

Product Specifications

Customer	
Model	LCDTXX"



Desktop Stand



Wall Mounting



Side Brackets

Features

- ★ 16:9/ 1920x1080 (FHD) Resolution
- ★ VA Wide Viewing Angle Technology (178°/178°)
- ★ True Flat Projected Capacitive Touch Screen,
- ★ 7H Hardness Tempered Cover Glass
- ★ 10 points Multi-touch , Supports Active Stylus
- ★ Metal Cabinet with Diverse Combine Options
- ★ [Made in Taiwan, 3 Years Warranty](#)
- ★ Optional High Brightness 1000nits for Outdoor Environment
- ★ Optional 100~240VAC or 9~36VDC Power Input
- ★ Optional Video Input (VGA/DVI/HDMI/DP)
- ★ Optional Software Remote Control by RS232
- ★ Optional Auto Dimming Function (with Light Sensor)
- ★ Optional Antibacterial/AG/AR/AF/AS Film



PSE



BSMI



FCC



CE



RoHS



ISO9001

Display Brightness Options

Brightness		
	Brightness	Environment
Standard	300nits	General (Indoor)
Option	1000nits	Outdoor Environment

Touch Interface Options

Touch Interface	
	Description
Standard	USB
Option	RS232

Video Input Options

Video Input	
	Description
Standard	VGA+HDMI+DP
Option	VGA+DVI



VGA+HDMI+DP




VGA+DVI

Power Input Options

Power Input	
	Description
Standard	12V, Lockable DC Jack $\Phi 2.1\text{mm}$
Option	9~36VDC, Phoenix Terminal Block
Option	100~240VAC, C14 Female Socket



Lockable DC Power Jack




Phoenix Terminal Block




C14 AC Socket

Input /Output System




Other Options

OSD Control		
	Item	Description
Standard	Button	Rear Physical Button
Option	Software Remote Control	Software Remote Control by RS232/Serial Port
Option	Auto Dimming	Auto Brightness Adjusting by Light Sensor



* Software Remote Control



Active Stylus Option	
Technology	Active Capacitive Coupled
Working Frequencies	90~250 KHZ
Pressure Level	256~1024 Levels
Side Buttons	2 Side Buttons (Eraser, Barrel)
Active Tip Force	5~25g
Max. Tip Force	400g




Surface Film Options	
Standard	(none)
Option	Anti-Glare Coating
Option	Antibacterial (AB Film)
Option	Anti-Glare +UV-Cut (AG+UV Film)



Desktop Stand (Option)

Item	B Stand	Part No.	DST-0B003/DST-1B003
Mounting Pattern	100x100 / 75x75 mm	Dimension (WxHxD)	203x275x227 mm
Material	Steel/Plastic/Aluminum	Net Weight	1.8 KG
Tilt (Hinge)	-2° ~ +180°	Support Max. Weight	15 KG



Item	Z Stand	Part No.	DST-0BZ01/DST-1BZ01
Mounting Pattern	100x100 / 75x75 mm	Dimension (WxHxD)	190x240x41.6
Material	SECC	Net Weight	2.6 KG
Tilt (Hinge)	±360°	Support Max. Weight	15 KG



Front Cover (Option)




The standard **AIDIYP270** is true flat surface.


To protect the corners of the touch screen, the Front Cover can be added.






The watertight gasket can be added between the **Front Cover** and **AIDIY LCD Touch Monitor**. It complies **IP65** on front.




Open-frame Brackets (Option)



Wall Mount Bracket (Option)



Packing Information



Dimensions of Carton	806x173x530 mm
Net Weight	≤9.3 KG
Gross Weight	≤11.6 KG